


# Complete Warning Whip & Safety Solutions



Leading Safety Whip Manufacturer ▪ Most Dependable in the Industry ▪ Mine-Specified ▪ Field Tested for Over 17 Years!

Our SafetyWhips® brand is globally recognized as a premier brand of USA-made Safety Products & Whip Solutions for all vehicle types & equipment needs. Driver Industrial Safety™ produces the highest quality Whips available on the market today. We proudly support the Heavy Equipment industries, Mining, Agricultural, Construction, Aviation, Transportation, & more. Our Complete Whip Solutions offer the most advanced LED light technology supporting various industrial safety programs and practices. In all efforts to secure jobsite requirements and excel safe site practices, Driver Industrial Safety™ continues its drive towards innovative Safety Product Solutions with our various SafetyWhips® product lines; offering customizable options specific to your industry and management needs!



SDL10R-XY, 10ft Red Super Duty LED Whip shown on minesite support vehicle

## Light Duty Warning Whips



**SafetyWhips® Light Duty Whips** are constructed of safe & non-conductive Fiberglass for all Light Duty vehicle & equipment needs. These non-powered whips are not only affordable, but include a variety of durable flag & mounting options for flag identification of objects or vehicles. Standard whip lengths range from 2ft (.61m) up to 7ft (2.13m) with customizable lengths available upon request. Outfit your fleet today with these affordable Light Duty Warning Whips!



Also Available  
in 5/8" rod  
(ATV375 models)

**ATV308-5-SXY**  
5ft (1.52m), 5/16" rod  
Standard Light Duty Whip  
11.5" orange safety flag with reflective "X"



**LWW-MOUNT**  
Light Duty  
Window Mount  
Bracket

**LWW05-M**  
5ft (1.52m), 5/16" rod  
Light Duty Whip with Window Mount  
11.5" orange safety flag



\*SW-PLATE MOUNT 4  
available for LWM Whips for mounting on non-magnetic surfaces



**LWM-BH-100**  
Light Duty  
Magnet Cup

**LWM05-SXW**  
5ft (1.52m), 5/16" rod  
Light Duty Whip with Magnet Mount\*  
11.5" orange safety flag with reflective "X"

### STANDARD SAFETY FLAG OPTIONS:

Heavy Duty Mesh, Fluorescent Safety Colors, UV Resistant, Anti-Microbial & Fray Resistant



**FLAG11-O**  
Orange  
11.5"L x 11.5"H



**FLAG11-O-XY**  
Orange with Yellow Reflective "X"  
11.5"L x 11.5"H



**FLAG11-O-XW**  
Orange with White Reflective "X"  
11.5"L x 11.5"H

For additional Safety Flags  
(refer to pg 24)

For Mounting & Accessories  
(refer to pgs 26-29)

### Light Duty Whips (non-powered) Select Light Duty Whips also available with no flag, no bulkhead, no base -- upon request!

Part # (x=flag option)	Whip Length	Product Description
ATV308-5	5ft (1.52m)	(5/16" diameter) All Weather Fiberglass Whip, Threaded Bulkhead, with NO FLAG
ATV308NB-5-x	5ft (1.52m)	(5/16" diameter) All Weather Fiberglass Whip, NO BULKHEAD, with Heavy Duty Mesh Safety Flag
ATV308-5-x	5ft (1.52m)	(5/16" diameter) All Weather Fiberglass Whip, Threaded Bulkhead, with Heavy Duty Mesh Safety Flag
ATV375-5	5ft (1.52m)	(3/8" diameter) All Weather Fiberglass Whip, Threaded Bulkhead, with NO FLAG
ATV375NB-5-x	5ft (1.52m)	(3/8" diameter) All Weather Fiberglass Whip, NO BULKHEAD, with Heavy Duty Mesh Safety Flag
ATV375-5-x	5ft (1.52m)	(3/8" diameter) All Weather Fiberglass Whip, Threaded Bulkhead, with Heavy Duty Mesh Safety Flag
LWW05	5ft (1.52m)	All Weather Fiberglass Whip with Light Duty Window Mount (includes brackets), with NO FLAG
LWW05-x	5ft (1.52m)	All Weather Fiberglass Whip with Light Duty Window Mount (includes brackets), with Mesh Safety Flag
LWM05	5ft (1.52m)	All Weather Fiberglass Whip with Light Duty Magnet Mount (includes brackets), with NO FLAG
LWM05-x	5ft (1.52m)	All Weather Fiberglass Whip with Light Duty Magnet Mount (includes brackets), with Mesh Safety Flag



# Heavy Duty Warning Whips: Threaded Mount (Non-Powered)



**Powered Whips Also Available!**

**SafetyWhips® Heavy Duty Whips** are our most common sold whip on the market today! SafetyWhips® Threaded Mount whips are constructed of high quality, safe and non-conductive Heavy Duty Fiberglass with a corrosion-resistant Threaded Hex base for Heavy Duty vehicle & equipment needs. Offered as a Single Piece, Two-Piece Breakdown or even Split-Pole options with Fiberglass Whip Extensions available for added length. Standard whip lengths available from 3ft (0.91m) up to 12ft (3.66m) and whip extensions from 1ft (.30m) to 6ft (1.83m). Customize your Heavy Duty Warning Whip with our array of SafetyWhips® Accessories!



**W05NP-X**  
5ft (1.52m), 1/2" rod  
Non-Powered with  
16" orange safety flag  
with reflective "X"



Sealed  
Rubber Cap




Threaded  
Bulkhead

**W08NP-SXY**  
8ft (2.44m), 1/2" rod  
Non-Powered with  
11.5" orange safety flag  
with reflective "X"



**Heavy Duty Stainless Steel Fitting  
for Secure Whip Connection!**



**W10BDSTNP-X**  
Two-Piece Breakdown Whip  
10ft (3.05m), 1/2" rod  
Non-Powered with 16" orange  
safety flag with reflective "X"



**EXT-3NP**

Heavy Duty Whip Extension  
3ft (.91m), 1/2" non-tapered rod  
with Threaded Stainless Steel  
fittings at top and bottom

**Part # Length**

EXT-1NP	1ft (.30m)
EXT-2NP	2ft (.61m)
EXT-3NP	3ft (.91m)
EXT-4NP	4ft (1.22m)
EXT-6NP	6ft (1.83m)

## STANDARD SAFETY FLAG OPTIONS:



Heavy Duty Mesh, Fluorescent  
Safety Colors, UV Resistant,  
Anti-Microbial & Fray Resistant



**FLAG11-O**  
Orange  
11.5"L x 11.5"H



**FLAG11-O-XY**  
Orange with Yellow Reflective "X"  
11.5"L x 11.5"H



**FLAG11-O-XW**  
Orange with White Reflective "X"  
11.5"L x 11.5"H



**FLAG16-Y-XW**  
Yellow with White Reflective "X"  
16"L x 16"H



**FLAG16-G-XW**  
Green with White Reflective "X"  
16"L x 16"H

Standard Whip Lengths	Single Piece, Threaded Whips			Two-Piece, Threaded Breakdown Whips		
	Part #	Part #	Part #	Part #	Part #	Part #
	with 11.5" Mesh Flag	with 11.5" Reflective "X" Mesh Flag	with 16" Reflective "X" Mesh Flag	with 11.5" Mesh Flag	with 11.5" Reflective "X" Mesh Flag	with 16" Reflective "X" Mesh Flag
5ft (1.52m)	W05NP-M	W05NP-SXY	W05NP-X	W05BDSTNP-M	W05BDSTNP-SXY	W05BDSTNP-X
8ft (2.44m)	W08NP-M	W08NP-SXY	W08NP-X	W08BDSTNP-M	W08BDSTNP-SXY	W08BDSTNP-X
10ft (3.05m)	W10NP-M	W10NP-SXY	W10NP-X	W10BDSTNP-M	W10BDSTNP-SXY	W10BDSTNP-X
12ft (3.66m)	W12NP-M	W12NP-SXY	W12NP-X	W12BDSTNP-M	W12BDSTNP-SXY	W12BDSTNP-X

Custom Whip Lengths & Whip Extensions available upon request!

## Recommended Whip Mounts

For Non-Powered, Threaded Mount Whips

### Heavy Duty Steel Hitch Mount



**HM1NPA**  
Non-Powered, Threaded Base  
Includes 7-Way Plug and  
107db Backup Alarm

### Threaded Whip Base



**519.343NP**  
Non-Powered  
Steel Thread Mount  
(optional)

### Heavy Duty Spring Base Mounts



**519.309NP**  
Non-Powered  
Stainless Steel



**519.308NP**  
Non-Powered  
Zinc Plated

### Heavy Duty Angle Bracket Mount



**ABM**  
Permanent Mount  
Zinc-Plated Bracket to  
attach whips to  
toolbox, rack or bed

For additional Safety Flags  
(refer to pg 24)  
For Mounting & Accessories  
(refer to pgs 26-29)



# Heavy Duty Warning Whips: Threaded Mount (Powered)



**Non-Powered Whips Also Available!**

**SafetyWhips® Powered Threaded Mount Heavy Duty Whips** are our most common whip sold today. Constructed with Heavy Duty Fiberglass, powered with a 1156 Type Socket, and a rust & corrosion resistant Threaded Hex base. Offered as a Single Piece, Two-Piece Breakdown or even Split-Pole options with Fiberglass Whip Extensions available for added length. Standard whip lengths available from 3ft (0.91m) up to 12ft (3.66m) and whip extensions from 1ft (.30m) to 6ft (1.83m). Customize your Powered Heavy Duty Whip with Driver Industrial's various SafetyWhips® Accessories & Mounting Options!



**W05-X-SC4C<sub>x</sub>** (*x* = LED color)  
5ft (1.52m), 1/2" rod - Powered with Single Color SC4 Series LED Whip Light (Constant Mode) and 16" orange safety flag with yellow reflective "X"



**W08-SXY**  
8ft (2.44m), 1/2" rod - Powered with 1156 Type Socket and 11.5" orange safety flag with yellow reflective "X"



1156 Type Light Socket



Powered Threaded Bulkhead with RCA Connection



**W08BDST-SXY-SC3<sub>xx</sub>** (*xx* = LED colors)  
Two-Piece Breakdown Whip 8ft (2.44m), 1/2" rod - Powered with Dual Color SC3 Series LED Whip Light and 16" orange safety flag with yellow reflective "X"

**Heavy Duty Stainless Steel Fitting for Secure Whip Connection!**



**EXT-3**

Heavy Duty Whip Extension 3ft (.91m), 1/2" non-tapered rod with Threaded Stainless Steel fittings at top and bottom

**Part # Length**

EXT-1	1ft (.30m)
EXT-2	2ft (.61m)
EXT-3	3ft (.91m)
EXT-4	4ft (1.22m)
EXT-6	6ft (1.83m)

## Full Color LED Whip Lights!

Single Color Dual Color



**SC4 series (NEW)**  
Flashing or Non-Flashing Models Available!



**SC3 series (NEW)**  
All-in-One, Flashing & Non-Flashing Programmable modes!

**For all LED Whip Light options (refer to pg 25)**

## STANDARD SAFETY FLAG OPTIONS:



Heavy Duty Mesh, Fluorescent Safety Colors, UV Resistant, Anti-Microbial & Fray Resistant



**FLAG16-O-XY**  
Orange with Yellow Reflective "X"  
16"L x 16"H



**FLAG16-Y-XW**  
Yellow with White Reflective "X"  
16"L x 16"H



**FLAG16-G-XW**  
Green with White Reflective "X"  
16"L x 16"H

**For additional Safety Flags (refer to pg 24)**

**For Mounting & Accessories (refer to pgs 26-29)**

Standard Whip Lengths	Single Piece, Threaded Whips			Two-Piece, Threaded Breakdown Whips		
	Part #	Part #	Part #	Part #	Part #	Part #
	with 11.5" Orange Mesh Flag	with 11.5" Yellow Reflective "X" Mesh Flag	with 16" Yellow Reflective "X" Mesh Flag	with 11.5" Orange Mesh Flag	with 11.5" Yellow Reflective "X" Mesh Flag	with 16" Yellow Reflective "X" Mesh Flag
5ft (1.52m)	W05-M	W05-SXY	W05-X	W05BDST-M	W05BDST-SXY	W05BDST-X
8ft (2.44m)	W08-M	W08-SXY	W08-X	W08BDST-M	W08BDST-SXY	W08BDST-X
10ft (3.05m)	W10-M	W10-SXY	W10-X	W10BDST-M	W10BDST-SXY	W10BDST-X
12ft (3.66m)	W12-M	W12-SXY	W12-X	W12BDST-M	W12BDST-SXY	W12BDST-X

Custom Whip Solutions (Lengths, Whip Extensions, Mounting Options) also available upon request!

## Recommended Whip Mounts

For Powered, Threaded Mount Whips

### Heavy Duty Steel Hitch Mount



**HM1A**  
Powered, Threaded Base Includes 7-Way Plug and 107db Backup Alarm

### Heavy Duty Spring Base Mounts



**519.309**  
Powered Stainless Steel

**519.30B**  
Powered Zinc Plated

### Threaded Whip Bases



**519.343**  
Powered w/Pigtail Steel Thread Mount (optional)

**519.343-RCA**  
Powered w/RCA Steel Thread Mount (optional)

### Heavy Duty Angle Bracket Mount



**ABM**  
Permanent Mount Zinc-Plated Bracket to attach whips to toolbox, rack or bed



# Heavy Duty Warning Whips: Quick Disconnect (Non-Powered)



**Powered Whips Also Available!**

**SafetyWhips® Quick Disconnect Whips** are heavy duty and the most efficient solution for quick and easy removal on your vehicle. These whips are constructed of safe & non-conductive Heavy Duty Fiberglass and well-known for its quick connection, easy removal, and convenient stow-a-way. Offered as a Single Piece, Two-Piece Breakdown or even Split-Pole options with Fiberglass Whip Extensions available for added length. Standard whip lengths available from 3ft (0.91m) up to 12ft (3.66m) with whip extensions from 1ft (.30m) to 6ft (1.83m). Outfit your whip today with our SafetyWhips® Accessories & Mounting Options!



**SW05QDNP-X**  
5ft (1.52m), 1/2" rod  
Non-Powered with  
16" orange safety flag  
with yellow reflective "X"



**SW08QDNP-SXY**  
8ft (2.44m), 1/2" rod  
Non-Powered with  
11.5" orange safety flag  
with yellow reflective "X"



Sealed  
Rubber Cap  
  
Quick  
Disconnect  
Base



**SW10QDNP2-X**  
Two-Piece Breakdown Whip  
10ft (3.05m), 1/2" rod  
Non-Powered with 16" orange  
safety flag with yellow reflective "X"

**Heavy Duty Stainless Steel Fitting  
for Secure Whip Connection!**



**EXT-3QDNP**  
Heavy Duty Whip Extension  
3ft (.91m), 1/2" non-tapered rod with  
Quick Disconnect Stainless Steel  
fittings at top and bottom

Part #	Length
EXT-1QDNP	1ft (.30m)
EXT-2QDNP	2ft (.61m)
EXT-3QDNP	3ft (.91m)
EXT-4QDNP	4ft (1.22m)
EXT-6QDNP	6ft (1.83m)

## STANDARD SAFETY FLAG OPTIONS:



Heavy Duty Mesh, Fluorescent  
Safety Colors, UV Resistant,  
Anti-Microbial & Fray Resistant



**FLAG11-O**  
Orange  
11.5"L x 11.5"H



**FLAG11-O-XY**  
Orange with Yellow Reflective "X"  
11.5"L x 11.5"H



**FLAG11-O-XW**  
Orange with White Reflective "X"  
11.5"L x 11.5"H



**FLAG16-Y-XW**  
Yellow with White Reflective "X"  
16"L x 16"H



**FLAG16-G-XW**  
Green with White Reflective "X"  
16"L x 16"H

Standard Whip Lengths	Single Piece, Quick Disconnect Whips			Two-Piece, Quick Disconnect Breakdown Whips		
	Part # <i>with 11.5" Orange Mesh Flag</i>	Part # <i>with 11.5" Yellow Reflective "X" Mesh Flag</i>	Part # <i>with 16" Yellow Reflective "X" Mesh Flag</i>	Part # <i>with 11.5" Orange Mesh Flag</i>	Part # <i>with 11.5" Yellow Reflective "X" Mesh Flag</i>	Part # <i>with 16" Yellow Reflective "X" Mesh Flag</i>
5ft (1.52m)	SW05QDNP-M	SW05QDNP-SXY	SW05QDNP-X	SW05QDNP2-M	W05QDNP2-SXY	W05QDNP2-X
8ft (2.44m)	SW08QDNP-M	SW08QDNP-SXY	SW08QDNP-X	SW08QDNP2-M	W08QDNP2-SXY	W08QDNP2-X
10ft (3.05m)	SW10QDNP-M	SW10QDNP-SXY	SW10QDNP-X	SW10QDNP2-M	W10QDNP2-SXY	W10QDNP2-X
12ft (3.66m)	SW12QDNP-M	SW12QDNP-SXY	SW12QDNP-X	SW12QDNP2-M	W12QDNP2-SXY	W12QDNP2-X

*Custom Whip Solutions (Lengths, Whip Extensions, Mounting Options) also available upon request!*

## Recommended Whip Mounts

*For Non-Powered, Quick Disconnect Whips*

**Heavy Duty Steel Hitch Mount**



**HMQDNP**  
Non-Powered, Quick Disconnect  
Base with 7-Way Plug and  
107db Backup Alarm

**Quick Disconnect  
Whip Base**



**SWQDNP**  
Non-Powered, Stainless  
Steel Quick Disconnect  
Mount (optional)

**Heavy Duty Spring Base Mounts**



**519.309NP**  
Non-Powered  
Stainless Steel



**519.30BNP**  
Non-Powered  
Zinc Plated

**Heavy Duty Angle Bracket Mount**



**ABM**  
Permanent Mount  
Zinc-Plated Bracket  
to attach whips to  
toolbox, rack or bed

**For additional Safety Flags  
(refer to pg 24)  
For Mounting & Accessories  
(refer to pgs 26-29)**



# Heavy Duty Warning Whips: Quick Disconnect (Powered)



**Non-Powered Whips Also Available!**

**SafetyWhips® Powered Quick Disconnect Whips** provide extended visibility of your vehicle or equipment Day and Night and ensure success for quick and easy removal needs. These whips are constructed of safe & non-conductive Fiberglass with quick connection, easy removal, and convenient stow-a-way capabilities. Offered as Single Piece or Two-Piece Breakdown or even Split-Pole options with Heavy Duty Fiberglass Whip Extensions available for added length. Standard whip lengths available from 3ft (0.91m) up to 12ft (3.66m) with whip extensions from 1ft (.30m) to 6ft (1.83m). Customize your fleet!



**SW05QD-X-SC4Cx**  
5ft (1.52m), 1/2" rod - Powered with Single Color SC4 Series LED Whip Light (Constant Mode) and 16" orange safety flag with yellow reflective "X"



**SW08QD-SXY**  
8ft (2.44m), 1/2" rod - Powered with 1156 Type Socket and 11.5" orange safety flag with yellow reflective "X"



**SW08QD2-SXY-SC3xx**  
Two-Piece Breakdown Whip 8ft (2.44m), 1/2" rod - Powered by RCA with Dual Color SC3 Series LED Whip Light and 16" orange safety flag with yellow reflective "X"



**EXT-3QD**  
Heavy Duty Whip Extension 3ft (.91m), 1/2" non-tapered rod, Quick Disconnect Stainless Steel fittings at top and bottom

Part #	Length
EXT-1QD	1ft (.30m)
EXT-2QD	2ft (.61m)
EXT-3QD	3ft (.91m)
EXT-4QD	4ft (1.22m)
EXT-6QD	6ft (1.83m)

## Full Color LED Whip Lights!



**SC4 series (NEW)**  
Flashing or Non-Flashing Models Available!



**SC3 series (NEW)**  
All-in-One, Flashing & Non-Flashing Programmable modes!

**For all LED Whip Light options (refer to pg 25)**

## STANDARD SAFETY FLAG OPTIONS:



**FLAG16-O-XY**  
Orange with Yellow Reflective "X"  
16"L x 16"H



**FLAG16-Y-XW**  
Yellow with White Reflective "X"  
16"L x 16"H



**FLAG16-G-XW**  
Green with White Reflective "X"  
16"L x 16"H

**For additional Safety Flags (refer to pg 24)**  
**For Mounting & Accessories (refer to pgs 26-29)**

Standard Whip Lengths	Single Piece, Quick Disconnect Whips			Two-Piece, Quick Disconnect Breakdown Whips		
	Part #	Part #	Part #	Part #	Part #	Part #
	with 11.5" Orange Mesh Flag	with 11.5" Yellow Reflective "X" Mesh Flag	with 16" Yellow Reflective "X" Mesh Flag	with 11.5" Orange Mesh Flag	with 11.5" Yellow Reflective "X" Mesh Flag	with 16" Yellow Reflective "X" Mesh Flag
5ft (1.52m)	SW05QD-M	SW05QD-SXY	SW05QD-X	SW05QD2-M	W05QD2-SXY	W05QD2-X
8ft (2.44m)	SW08QD-M	SW08QD-SXY	SW08QD-X	SW08QD2-M	W08QD2-SXY	W08QD2-X
10ft (3.05m)	SW10QD-M	SW10QD-SXY	SW10QD-X	SW10QD2-M	W10QD2-SXY	W10QD2-X
12ft (3.66m)	SW12QD-M	SW12QD-SXY	SW12QD-X	SW12QD2-M	W12QD2-SXY	W12QD2-X

Custom Whip Solutions (Lengths, Whip Extensions, Mounting Options) also available upon request!

## Recommended Whip Mounts

For Powered, Quick Disconnect Whips

### Heavy Duty Steel Hitch Mount




**HMQDA**  
Powered, Quick Disconnect Base with 7-Way Plug and 107db Backup Alarm

### Heavy Duty Spring Base Mounts



**519.309** Powered Stainless Steel  
**519.30B** Powered Zinc Plated

### Quick Disconnect Bases



**SWQD-PT** Powered w/Pigtail Quick Disconnect Steel Mount (optional)  
**SWQD-R** Powered Quick Disconnect Steel Mount with RCA Type power connector & Pigtail (optional)

### Heavy Duty Angle Bracket Mount



**ABM** Permanent Mount Zinc-Plated Bracket to attach whips to toolbox, rack or bed



# Super Duty "All Weather" Warning Whips



Fully CUSTOMIZABLE Whip Assemblies, built to handle the most EXTREME Weather Conditions!

**SafetyWhips® Super Duty All Weather™ Whips** are super-sealed and built for strength! These robust whips are no joke. They're extremely reliable with increased durability due to the addition of "locked-in" shielding components (top and bottom); sealing against harsh environments to ensure protection from moisture & corrosion. In addition, we offer Complete Whip Assemblies and optional customization for any Super Duty All Weather™ whip to ensure your needs are met. Standard whip lengths offered from 1ft (.30m) to 12ft (3.66m) with various SafetyWhips® Accessory & Mounting options available!



### Also Available

With or without a Safety Flag, LED Whip Light, or Heavy Duty Spring!



### Full Color LED Whip Lights!



SC4 series (NEW) Flashing or Non-Flashing Models Available!



SC3 series (NEW) All-in-One, Flashing & Non-Flashing Programmable modes!

For all LED Whip Light options (refer to pg 25)

### STANDARD SAFETY FLAG OPTIONS:



Heavy Duty Mesh, Fluorescent Safety Colors, UV Resistant, Anti-Microbial & Fray Resistant



FLAG11-O-XW Orange with White Reflective "X" 11.5"L x 11.5"H



FLAG16-O-XY Orange with Yellow Reflective "X" 16"L x 16"H



FLAG16-G-XW Green with White Reflective "X" 16"L x 16"H

For additional Safety Flags (refer to pg 24)  
For Mounting & Accessories (refer to pgs 26-29)

Product Part # Matrix	
Part #	SD 10 - X - 30B - SC3 x (x = LED color)
<b>Super Duty</b> (Threaded Base only)	
<b>Total Whip Length</b>	
01 (1ft/.30m)	07 (7ft/2.13m)
02 (2ft/.61m)	08 (8ft/2.44m)
03 (3ft/.91m)	09 (9ft/2.74m)
04 (4ft/1.22m)	10 (10ft/3.05m)
05 (5ft/1.52m)	11 (11ft/3.35m)
06 (6ft/1.83m)	12 (12ft/3.66m)
<b>Flag Option</b>	
M (Small, 11.5" Orange Safety Flag)	
SX (Small, 11.5" Safety Flag with Reflective "X")	
X (Large, 16" Safety Flag with Reflective "X")	
	<b>Whip Light: LED Color</b>
	A (Amber) AR (Amber/Red)
	R (Red) GW (Green/White)
	G (Green)
	B (Blue)
	W (White)
	<b>LED Light: Head Type</b> (leave blank for none)
	SC4C (SC4 series, Constant mode)
	SC4F (SC4 series, Flashing mode)
	SC3 (SC3 series, Flashing & Non-Flashing)
	<b>Super Duty Spring Mount</b> (powered with 12" Fly Lead - leave blank for none)
	30B (Super Duty Spring, Zinc Plated)
	309 (Super Duty Spring, Stainless Steel)

Custom Whip Lengths & Assembly options available upon request!

## Recommended Whip Mounts

For Powered, Threaded Mount Whips

### Heavy Duty Spring Base Mounts



519.309 Powered Stainless Steel

519.30B Powered Zinc Plated

### Whip Retaining Hook



RH01

Hold-down hook for use with 8ft (2.44m) or longer Super Duty Whips using a Heavy Duty Spring at the base for best results

### Heavy Duty Angle Bracket Mount



ABM Permanent Mount Zinc-Plated Bracket to attach whips to toolbox, rack or bed



# Super Duty LED Warning Whips



**The Toughest LED Whip Built To-Date!**



**SDL04G-XY** (shown with Green LEDs)  
4ft (1.22m), SafetyWhips® Super Duty LED Whip  
with 16" Orange Safety Flag with Reflective "X"

**Driver Industrial Safety™ exceeds all industry competition with our fully lit Super Duty LED Warning Whips!** Without a doubt, our SafetyWhips® brand of warning whips stepped up with this innovative product solution. The Super Duty LED Whip is a "must have" when your vehicle or equipment is experiencing Extremely Harsh weather conditions and in need of a highly visible, extremely durable, reliable, and weather-resistant whip solution. Built with safe & non-conductive heavy duty Fiberglass, these whips are Mine-tough™ and able to handle the worst of conditions. Engineered with advanced LED technology and constructed of a solid fiberglass internal pole with rugged polycarbonate external tubing for advanced protection against impact. SafetyWhips® Super Duty LED Whips allow other drivers to identify operating vehicles sooner, especially in low visibility environments. With standard whip lengths available from 4ft (1.22m) up to 10ft (3.05m), our customization options (custom sizes and LED colors) allow for more efficient workflow for your management team. Identify specific job functions, contractors and site personnel quickly. **Depend on Driver** to provide enhanced solutions for your site safety!

**10ft of protected LED lighting from top to bottom!**



**SDL06R-XY**  
6ft (1.82m) - Red LEDs  
Super Duty LED Whip  
with 16" orange safety  
flag with yellow  
reflective "X"

**Available With or Without a Safety Flag!**



Protective Pressure  
Humidity Vent  
To equalize pressures  
while blocking water  
& contaminants




Threaded Base  
Optional Quick Disconnect conversion kit  
also available (kit sold separately)

External Waterproof Connector



**SDL04x** (x = LED color)  
4ft (1.22m) - Rod only  
Super Duty LED Whip  
\*No Flag included



SDL04W-XY    SDL04G-XY    SDL04B-XY    SDL04R-XY    SDL04A-XY

Standard Whip Lengths	Super Duty LED Whip
	Part # with 16" Yellow Reflective "X" Orange Mesh Flag
4ft (1.22m)	SDL04x-XY
6ft (1.82m)	SDL06x-XY
8ft (2.44m)	SDL08x-XY
10ft (3.00m)	SDL10x-XY

x = LED Color (A, R, G, B, or W)

Available in  
**12Vdc and 24Vdc**  
\*When installing use a minimum of  
16 Gauge wire and an amp fuse

**STANDARD SAFETY FLAG OPTIONS:**



Heavy Duty Mesh, Fluorescent  
Safety Colors, UV Resistant,  
Anti-Microbial & Fray Resistant



**FLAG11-O-XY**  
Orange with Yellow Reflective "X"  
11.5"L x 11.5"H



**FLAG11-R-XW**  
Red with White Reflective "X"  
11.5"L x 11.5"H



**FLAG16-O-XW**  
Orange with White Reflective "X"  
16"L x 16"H

**For additional Safety Flags**  
(refer to pg 24)  
**For Mounting & Accessories**  
(refer to pgs 26-29)

## Recommended Whip Mounts

*Assorted Mounting Hardware options for Super Duty LED Whips!*

**Heavy Duty Steel Hitch Mount**



**HMSDA**  
Powered, Threaded Base  
Includes 7-Way Plug and  
107db Backup Alarm

**Quick Disconnect  
Conversion Kit**



**SWQD-KIT-NP**  
Non-Powered, Stainless  
Steel Kit: includes QD whip  
Adapter & Base.

**Heavy Duty Spring  
Base Mounts**



**519.30BNP**  
Non-Powered  
Zinc Plated

**Heavy Duty Angle Bracket Mount**



**ABM**  
Permanent Mount  
Zinc-Plated Bracket  
to attach whips to  
toolbox, rack or bed





# Telescoping Warning Whips: Powered & Non-Powered



The Collapsible, Extendable & Heavy Duty "ADJUSTABLE" Whip!



**TW11D-X** (shown on fleet of vehicles on site)  
11ft (3.35m), SafetyWhips® Powered Heavy Duty Telescoping Whips with 16" Orange Safety Flag

**SafetyWhips® Heavy Duty Telescoping Whips** are extremely versatile and an excellent solution to maintain site safety during unforeseen circumstances when quick changes need to happen! Driver Industrial Safety™ succeeded with this Mine-tough™ whip solution with heavy focus on developing a heavy duty, highly visible, and very user-friendly product. With its "adjustable" capabilities these whips are especially advantageous for high traffic environments and quick change site management needs, which in turn maintains a safe site workflow. These whips are designed with durability and include (3) locking sections - (2) locks for quick and easy whip length adjustments and built with rigid wrapped Heavy Duty Fiberglass. 24 hour Vehicle & Equipment identification is key in our industry, which is why we constructed both Powered & Non-powered Telescoping Whips with collapsible lengths down to 79in (6.58ft/2m) and full extension up to 252in (21ft/6.40m). Outfit your fleet today with SafetyWhips® Telescoping Whips!



FULLY EXTENDED!


Locking Section

FULLY COLLAPSED!

Lock



**TW-FMT** mounted in truck bed



1156 Type Light Socket

Powered External Waterproof Connector (Male pigtail)

**TW11D-GXW**  
11ft (3.35m), Powered with (3) Locking Sections, and 16" green safety flag with white reflective "X"

**TW11NP-X**  
11ft (3.35m), Non-Powered with (3) Locking Sections and 16" orange safety flag with yellow reflective "X"

Part # <i>x = flag option</i>	Collapsed Whip Length	Extended Whip Length
TW11D-x	79in (200.66cm)	11ft (3.35m)
TW13D-x	86in (218.44cm)	13ft (3.96m)
TW15D-x	93in (236.22cm)	15ft (4.57m)
TW21D-x	100in (254.00cm)	21ft (6.40m)
TW11NP-x	79in (200.66cm)	11ft (3.35m)
TW13NP-x	86in (218.44cm)	13ft (3.96m)
TW15NP-x	93in (236.22cm)	15ft (4.57m)
TW21NP-x	100in (254.00cm)	21ft (6.40m)

Powered & Non-Powered Options (NP = Non-powered)

## Full Color LED Whip Lights!



**SC4 series (NEW)**  
Flashing or Non-Flashing Models Available!



**SC3 series (NEW)**  
All-in-One, Flashing & Non-Flashing Programmable modes!

For all LED Whip Light options (refer to pg 25)

## STANDARD SAFETY FLAG OPTIONS:



Heavy Duty Mesh, Fluorescent Safety Colors, UV Resistant, Anti-Microbial & Fray Resistant



**FLAG16-O-XW**  
Orange with White Reflective "X"  
16"L x 16"H



**FLAG16-Y-XW**  
Yellow with White Reflective "X"  
16"L x 16"H

For additional Safety Flags (refer to pg 24)

For Mounting & Accessories (refer to pgs 26-29)

## Recommended Whip Mounts

Assorted Mounting Hardware options for Telescoping Whips - powered & nonpowered available!

### External Waterproof Connector



**TWPT**  
Standard Male Connector - 12" Pigtail, use pigtail if mounting it in a different manner

### Telescoping Whip Flat Surface Mount



**TW-FMT**  
Powered with Mounting Holes and Whip Locking Pin - includes TWPT (+/- power wire)

### Side Mount for Telescoping Whips and Platform Mounts



**UPMT**  
Side Mount to bolt to a toolbox or other sturdy parts of your vehicle - includes quick pin

### Heavy Duty Steel Hitch Mount



**HMTDA**  
Powered, Telescoping Whip Base with 7-Way Plug and 107db Backup Alarm (for Non-Powered use HMTNPA)





# Heavy Duty Safety Flags

Hi-Visibility Fluorescent Safety Colors ■ 3M™ Reflective Striping ■ UV Resistant, Anti-Microbial & Fray Resistant!

## Standard Flag Colors:

\*PMS Colors - based on Pantone Matching System®




MULTIPLE COLOR COMBINATIONS & SIZES AVAILABLE FOR PURCHASE!

Custom Flag Sizes & Color Options also available upon request!

## 9 inch Mesh Safety Flags



**FLAG-PO**  
Orange (PMS 171 C)  
12"L x 9"H (30.5cm x 22.8cm)



**FLAG-PB**  
Blue (PMS 300 C)  
12"L x 9"H (30.5cm x 22.8cm)



**FLAG-PO-SY**  
Orange (PMS 395 C) & Yellow 3M Stripe  
12"L x 9"H (30.5cm x 22.8cm)



**FLAG-PO-SW**  
Orange (PMS 395 C) & White 3M Stripe  
12"L x 9"H (30.5cm x 22.8cm)

## 11.5 inch Mesh Safety Flags

Includes (2) Hog Rings



**FLAG11-O**  
Orange (PMS 171 C)  
11.5"L x 11.5"H (29cm x 29cm)



**FLAG11-Y**  
Yellow (PMS 395 C)  
11.5"L x 11.5"H (29cm x 29cm)



**FLAG11-G**  
Green (PMS 2287 C)  
11.5"L x 11.5"H (29cm x 29cm)

## 11.5 inch with 3M™ Reflective "X" Mesh Safety Flags

Includes (2) Hog Rings



**FLAG11-O-XY**  
Orange (PMS 171 C)  
with Yellow 3M Reflective "X"  
11.5"L x 11.5"H (29cm x 29cm)



**FLAG11-Y-XW**  
Yellow (PMS 395 C)  
with White 3M Reflective "X"  
11.5"L x 11.5"H (29cm x 29cm)



**FLAG11-G-XW**  
Green (PMS 2287 C)  
with White 3M Reflective "X"  
11.5"L x 11.5"H (29cm x 29cm)

## 16 inch with 3M™ Reflective "X" Mesh Safety Flags

Includes (2) Hog Rings



**FLAG16-O-XY**  
Orange (PMS 171 C)  
with Yellow 3M Reflective "X"  
16"L x 16"H (40.6cm x 40.6cm)



**FLAG16-Y-XW**  
Yellow (PMS 395 C)  
with White 3M Reflective "X"  
16"L x 16"H (40.6cm x 40.6cm)



**FLAG16-G-XW**  
Green (PMS 2287 C)  
with White 3M Reflective "X"  
16"L x 16"H (40.6cm x 40.6cm)

## Aviation & Transportation Nylon Safety Flags



**Nylon Streamer**  
**FLAG-Streamer-O**  
Flourescent Orange Nylon  
with (1) 5/8" end Grommet  
18"L x 2"H (45.7cm x 5.1cm)



**Light Duty Nylon Windsock**  
**FLAG-WS8-19**  
Flourescent Orange with Grommets  
Windsock size: 19"L x 8"D (48.3cm x 20.3cm)  
(All Hardware sold separately, Part #: Flag-WS8-HW)



**Heavy Duty Nylon Windsock**  
**FLAG-WS18-96**  
Flourescent Orange with Grommets  
Windsock size: 96"L x 18"D (243.8cm x 45.7cm)  
(All Hardware sold separately, Part #: Flag-WS18-HW)



**Airport Checkered Nylon Flag**  
**FLAG-APF**  
Heavy Duty Airport Safety Flag  
White & Orange Checkered  
Flag size: 36"L x 36"H (91.4cm x 91.4cm)



# Heavy Duty LED Whip Lights: SC Series



High Quality, Premium LED Components ■ Single & Dual Colors ■ Compatible on Various Powered Warning Whips!

Single Color A B W G R AR AW GW Dual Color

## SC4 Series

HIGH PROFILE!



Impact & Break Resistant Lexan Casing



QUICK & EASY Installation!




**BRIGHT!** ✓ **MULTI-VOLTAGE!** ✓ **FLASHING or NON-FLASHING LIGHT OPTIONS!** ✓



- ▶ Bright LEDs for Extended Vehicle/Equipment Visibility!
- ▶ 360 degree Light Diffusion - Uniformed Brightness
- ▶ Impact & Break Resistant, high profile Lexan casing
- ▶ Programmable Light Sensor for Night time Visibility
- ▶ Multi-Voltage: safely from 10 to 40 Volt
- ▶ Withstands Extreme Weather Conditions!
- ▶ "Lock and Seal" system - safely securing light to base and sealing against Corrosion, Moisture & Harsh Environments!

### Product Part # Matrix:

\* Multiple color combinations available upon request



100,000 Hour LED Life! (for 1156 Type Sockets)

12 volts = .075 amps / 0.9 watts  
24 volts = .045 amps / 1.08 watts

## SC3 Series

BOTH FLASHING & NON-FLASHING PROGRAMMABLE MODES AVAILABLE! ✓

LOW PROFILE!



Impact & Break Resistant Lexan Casing



QUICK & EASY Installation!




**SUPER BRIGHT!** ✓ **MULTI-VOLTAGE!** ✓ **DAY & NIGHT VISIBILITY!** ✓



- ▶ High Performance, Super Bright LEDs for Hi-Visibility vehicle and equipment identification!
- ▶ Low Profile, Innovative Design with 360 degree Light Diffusion - creates Uniformed Brightness
- ▶ Programmable Light Sensor - when enabled, light dims at night to prevent "Night Blindness" to surrounding traffic. Brightens back up in the daytime or other well-lit areas for improved visibility.
- ▶ Rugged Impact & Break Resistant structure for withstanding Extreme Environmental Conditions!
- ▶ Multi-Voltage: safely from 10 to 40 Volt
- ▶ "Lock and Seal" system - safely securing light to base, sealing against Corrosion, Moisture & Harsh Environments!
- ▶ "Easy-to-Use" Magnet Operation for user-friendly programming between flashing and non-flashing modes!
- ▶ Multiple Safety Color Combinations to help identify specific job functions, contractors & site personnel

### Product Part # Matrix:

\* Multiple color combinations available upon request



100,000 Hour LED Life! (for 1156 Type Sockets)

12 volts = .125 amps / 1.5 watts  
24 volts = .073 amps / 1.752 watts

ALSO AVAILABLE!

**SCM Series 24" MEGA-LITE!**

Request more details today!

# Heavy Duty Warning Whip Bases & Adapters



Powered & Non-Powered Options Available!

## Whip Mount Bases

### Threaded Hex Whip Receiving Mounts (For use with Threaded Base Whips)



#### Steel Thread Mounts

- A. 519.343NP**  
Non-powered, Threaded Hex base
- B. 519.343-RCA**  
Powered, Threaded Hex Base with RCA Connection for quick power connection using included Hot Plug (Part#: HP.2, also sold separately)
- C. 519.343**  
Powered, Threaded Hex base with affixed Pig Tail single positive lead wire for power at the bottom for a solid hardwire connection


### Quick Disconnect Whip Receiving Mounts (For use with Quick Disconnect Whips)



#### Stainless Steel Quick Disconnect Mounts

- D. SWQDNP**  
Non-powered, Quick Disconnect base
- E. SWQD-PT**  
Powered, Quick Disconnect base with affixed Pig Tail single positive lead wire for power at the bottom for a solid hardwire connection
- F. SWQD-R**  
Powered, Quick Disconnect base with RCA connection for quick power connection using included Hot Plug (Part#: HP.2, also sold separately)

### Heavy Duty Spring Mounts



#### Non-Powered Springs

- G. 519.309NP**  
Non-powered, Stainless Steel Barrel Spring Base
- H. 519.30BNP**  
Non-Powered, .283 Zinc-Plated Barrel Spring Base (added resistance to corrosion)

#### Powered Springs

- I. 519.309**  
Powered, Stainless Steel Barrel Spring Base with RCA connection at bottom
- J. 519.30B**  
Powered, .283 Zinc-Plated Barrel Spring Base with RCA connection at bottom (added resistance to corrosion)

## Whip Mount Adapter Kits

\*Also Available - single adapters without a receiving mount\*

### Quick & Easy Conversion of Your SafetyWhips® Threaded Mount Base to a Quick Disconnect! (For use when converting 1/2" - 20 Thread whip connection to Quick Disconnect connection)



#### Non-Powered

- K. SWQD-KIT-NP (kit)**  
Non-powered, Stainless Steel Quick Disconnect Kit that includes Whip Adapter & Quick Disconnect Receiving Mount
- L. SWQD-WA-NP (adapter only)**  
Non-Powered, Stainless Steel Quick Disconnect Whip Adapter. Adapter threads to the base of a threaded whip to convert the end to Quick Disconnect



#### Powered with Lead

- M. SWQD-KIT-PT (kit)**  
Powered, Stainless Steel Quick Disconnect Kit that includes Whip Adapter & Quick Disconnect Receiving Mount with affixed Pig Tail single power lead
- N. SWQD-WA (adapter only)**  
Powered, Stainless Steel Quick Disconnect Whip Adapter. Adapter threads to the base of a threaded whip to convert the end to Quick Disconnect



#### Powered w/Detachable RCA Lead

- M. SWQD-KIT-R (kit)**  
Powered, Stainless Steel Quick Disconnect Kit that includes Whip Adapter & Quick Disconnect Receiving Mount with RCA connection using included Hot Plug (HP.2)
- N. SWQD-WA (adapter only)**  
Powered, Stainless Steel Quick Disconnect Whip Adapter. Adapter threads to the base of a threaded whip to convert the end to Quick Disconnect.

# Heavy Duty Warning Whip Mounts



Options for Powered & Non-Powered Warning Whips (Threaded or Quick Disconnect)

## Permanent Mounts



### Angle Bracket Mount



**ABM**  
Heavy duty steel mount that works great with Powered and Non-Powered Whips, and whip Bases. Zinc-Plated for corrosion resistance.

*Attach whips to toolbox, rack or truck bed!*



### Fold Down Mount with Side Mount Attachment



**FDSM**  
Heavy duty aluminum mount with various mounting solutions. Easily adjusts for right or left side mounting and able to fold down when whip is not in use.

### Universal Flat Surface Mount



**FSM**  
Heavy duty steel mount - powder coated in black. Can be used with both Powered & Non-Powered Whips, Threaded or Quick Disconnect.

### Stake Pocket Mount



**SPM**  
Heavy duty aluminum mount. Universal Fit with Wedge Application for larger trucks and pickups with stake pockets. Perfect for leased vehicles.  
*No need to drill holes in vehicles for use!*

### Fold Down Van Mount




**FDVM**  
Stainless steel mount with a locking spring pin. Versatile function locking whip in an up or down position.  
*Used on side of vehicles, metal boxes, cranes*

### New Item!



### Fold Down Horizontal Mount with Side Mount



**FDHMS**  
Heavy duty Zinc-Plated mount with side mount attachment. Adjustable hole pattern with Locking Pin allowing users flexibility & versatile mounting angles to lay the whip on. Also creates more space for the wire on Powered whips.

## Temporary Mounts

\* Includes (3) 150# Pull Cup Magnets and Lifting Handle \*\* Includes (3) 150# Pull Cup Magnets

### Heavy Duty Magnet Mounts



Our SafetyWhips® Magnet Mounts are a heavy duty, non-destructive solution for temporary whip mounting. Reliable in avoiding any permanent physical damage to your vehicle or equipment especially great for leased equipment. All Magnet Mount options are built with (3) super duty Pull Cup Magnets for enhanced suction, handling maximum speeds up to 35mph / 56kph.

The **Quick Release** feature is the most popular option when ordering a Powered Magnet Mount!

**519.33LHR** shown with 3ft (.91m) Quick Disconnect Whip



**519.33LHR** \*  
Powered - includes Cigarette Cord for Powered Whips



**519.33LRNP** \*\*  
Non-Powered for Non-Powered Whips

*Powered & Non-Powered Options Available! --> For Whips up to 8ft (2.44m)*



### Window Mount with Vacuum Assist

**519.320-V**  
Temporary heavy duty mounting solution with vacuum suction application for quick and easy install & removal of whip on vehicle. Includes Cigarette Cord for Powered Whips

*Powered & Non-Powered Options Available! --> For Whips up to 8ft (2.44m)*

### Light Duty Window Mount Bracket



**LWW-Mount**  
Light Duty Whip mounting solution for temporary install & easy removal of whip on a vehicle. For use with Light Duty ATV308/ATV375 Whips up to 7ft (2.13m)

*--> For Non-Powered Whips up to 8ft (2.44m)*

### Super Heavy Duty Magnetic Mount



**519.330**  
Heavy Duty Magnetic Whip Mount with (4) 150# pull cup magnets. Includes Cigarette Cord for Powered Whip usage.

*Maximum Speeds up to 70mph! --> For Whips up to 12ft (3.66m)*



# Heavy Duty Warning Whip Hitch Mounts



Powered & Non-Powered Options Available for Threaded, Quick Disconnect & Super Duty LED Whips!

## Standard Hitch Mounts: Powered

\* Hitch Mount options made for 2" (5.08cm) Receivers, 1.25" Receiver Mounts are available upon request

We offer a variety of Heavy Duty Standard Hitch Mounting options to support all types of our SafetyWhips® Warning Whips. Securing your Whip Assembly properly to your vehicle or equipment is essential for jobsite safety. SafetyWhips® Standard Hitch Mount collection provides multiple heavy duty mounting systems - Screw Mount for standard Threaded Whips, Quick Release Mount for Quick Disconnect Whips, or Telescoping Adapter Mount for Telescoping and Breakdown Whips.

### Replacement Accessories (sold separately)



HM-B/U Alarm 107dB Backup Alarm, 12 to 24V



HM-Pin with Cotter Pin Hitch Pin with Cotter Pin 5/8" x 3" (1.59cm x 7.62cm)



HM-Trailer Plug Trailer End Plug with 7-Way plastic connector



HM1\*

Threaded Base, Includes 7-Way Plug

(Non-powered, Part #: HMTNP)



HM1A\*

Threaded Base, Includes 7-Way Plug and built-in 107dB Backup Alarm

(Non-powered, Part #: HM1NPA)



HMQD\*

Quick Connect Base, Includes 7-Way Plug

(Non-powered, Part #: HMQDNP)



HMQDA\*

Quick Connect Base, includes 7-Way Plug and built-in 107dB Backup Alarm

(Non-powered, Part #: HMQDNPA)



HMTD\*

Telescoping Base, includes 7-Way Plug Powered with Deutsch Connector.

(Non-powered, Part #: HMTNP)



HMTDA\*

Telescoping Base, includes 7-Way Plug, built-in 107db Backup Alarm. Powered with Deutsch Connector.

(Non-powered, Part #: HMTNPA)

### NON-POWERED, SUPER DUTY LED WHIP MOUNTS!



HMSDA\* / HMSDQDA\*

Threaded Base (left) / Quick Disconnect Base (right), Includes 7-Way Plug and built-in 107db Backup Alarm. Powered with Deutsch Connector.

(Without 107db Backup Alarm, Part #: HMSD/HMSDQD)

## Extended Hitch Mounts: Powered

\* DRIVER & PASSENGER SIDE OPTIONS AVAILABLE: For Passenger Side mounts, add "-PASS" to item part#

Extended Side Application mounting options allow the use of your vehicle's hitch receiver for all types of SafetyWhips® Warning Whips. While still being able to utilize the tailgate or rear hatch when needed.

### Available options:

Screw Mount for standard Threaded Whips, Quick Release Mount for Quick Disconnect Whips, or Telescoping Adapter for Telescoping and Breakdown Whips.

\*Extended mounts only available for 2" (5.08cm) or larger hitch receivers



HML\*

Threaded Base, Includes 7-Way Plug

(Non-powered, Part #: HMLNP)



HMLQD\*

Quick Connect Base, Includes 7-Way Plug

(Non-powered, Part #: HMLQDNP)



HMLQDA\*

Quick Connect Base, Includes 7-Way Plug and built-in 107db Backup Alarm

(Non-powered, Part #: HMLQDNPA)



HMLA\*

Threaded Base, Includes 7-Way Plug and built-in 107db Backup Alarm

(Non-powered, Part #: HMLNPA)



HMLTD\*

Telescoping Base, Includes 7-Way Plug. Powered with Deutsch Connector

(Non-powered, Part #: HMLTNP)



HMLTDA\*

Telescoping Base, Includes 7-Way Plug and built-in 107db Backup Alarm. Powered with Deutsch Connector

(Non-powered, Part #: HMLTNP)

Extended Hitch Mounts Also Available for Super Duty LED Whips! (Part #: HMLSD & HMLSDA)

# Universal Platform Mounting Systems



**Complete Customizable Mounting Systems for Alternative Mounting Locations, Maximizing Vehicle & Equipment Visibility!**

**Driver Industrial Safety™ strives for the best possible safety solutions to maximize safe site operations globally.** We are constantly driving our product ideation towards improving Vehicle and Equipment visibility standards. Our SafetyWhips® Universal Platform Mounting Systems epitomize innovation by supplying your team with alternative mounting solutions for multiple standard communication devices on any type of vehicle or equipment. These mounting systems are high-strength and extremely durable; constructed of a powder-coated Steel Platform surface (for magnetic devices) and various mounting holes to securely attach all basic Safety and Communication Devices directly to the platform. Customers with non-magnetic vehicles and equipment find this solution most beneficial with it's versatility; can be installed within a vehicle's hitch (with a SafetyWhips® Hitch Mount) or mounted on the rear of a toolbox. Mounting these units are very easy and perfect for temporary use. Your outfitting possibilities are endless as we offer full customization opportunities per jobsite protocol. Simply add one of our custom NVIZN™ 3-Sided Light Duty Identification Displays, a Helios Warning Lights® heavy duty LED Beacon, then top off with a SafetyWhips® Heavy Duty Whip (up to 12ft). All mounted atop a 3ft or 5ft heavy duty for a completed system. Depend on Driver for your jobsite safety solutions!



**Aluminum-Bodied Vehicles have found their match with our Universal Platform Mount Systems!**

**\*\* Powered & Non-Powered Options Available \*\***



**UPM3-VSA POWERED**  
3ft (.91m) Pole with Triangle Plate  
Shown mounted with UPMT on toolbox with 3ft (.91m) SafetyWhips® Heavy Duty Whip, NVIZN™ 3-Sided Light Duty Identification Display, & HELIOS Warning Lights® X-MOD Amber LED Beacon

**UPM5-VSA POWERED**  
5ft (1.52m) Pole with Triangle Plate  
Shown mounted with 3ft (.91m) SafetyWhips® Heavy Duty Whip, NVIZN™ 3-Sided Light Duty Identification Display, & HELIOS Warning Lights® X-MOD Amber LED Beacon

**\*\* Toolbox / Side Wall Mount & Hitch Mounts all sold separately \*\***

**ALL Systems include Pole, Triangle Plate & External Waterproof Connector!**

**Powered Options: (Non-Powered also available)**

*\* For Super Duty LED Whips*

Part Number <i>x = strobe color</i>	Pole Length	Mount Type	With Strobe	with 3-Sided Display	with 3-Sided Display & Strobe
UPM5	5ft (1.53m)	None	NO	NO	NO
UPM5-TM	5ft (1.53m)	Threaded	NO	NO	NO
UPM5-Sx	5ft (1.53m)	Threaded	YES	NO	NO
UPM5-V	5ft (1.53m)	Threaded	NO	YES	NO
UPM5-VSx	5ft (1.53m)	Threaded	YES	YES	YES
UPM5-VSx-SDL*	5ft (1.53m)	Threaded	YES	YES	YES

## Recommended Hitch Mounts & Replacement Parts

ITEMS SOLD SEPARATELY

*\* For use with 5ft (1.52m) Poles Only*



**UPMT**  
Heavy Duty Side Mount with Quick Pin. Bolt to toolbox or other sturdy parts of vehicle.



**HM-B/U Alarm 107db**  
107db Backup Alarm  
12V to 24V



**HM-Pin with Cotter Pin**  
5/8" x 3" Hitch Mount Pin with Cotter Pin. Fits all Hitch Mounts.



**HM-Trailer Plug**  
Trailer End plug with 7-Way plastic connector



**HMTD\***  
Telescoping Base, includes 7-Way Plug Powered with Deutsch Connector.  
*(Non-powered, Part #: HMTNP)*



**HMTDA\***  
Telescoping Base, includes 7-Way Plug, built-in 107db Backup Alarm. Powered with Deutsch Connector.  
*(Non-powered, Part #: HMTNPA)*



**HMLTD\***  
Telescoping Base, Includes 7-Way Plug. Powered with Deutsch Connector  
*(Non-powered, Part #: HMLTNP)*



**HMLTDA\***  
Telescoping Base, Includes 7-Way Plug and built-in 107db Backup Alarm. Powered with Deutsch Connector  
*(Non-powered, Part #: HMLTNP)*

# Additional Accessories / Personal & Traffic Safety



High Quality Electrical Plugs & Connectors ■ Personal Safety Kits ■ Heavy Duty Traffic Safety Accessories

## Whip Accessories & Replacement Parts

\*Female Connector also available - Part #: TWPT-F


### Electrical Plugs & Connectors



**RCA.1**  
RCA Extension Phone Plug with Right Angle Connection and 2-Wire Extension for power connection



**RCA.2**  
RCA Extension Phone Plug with Straight Plug Connection and 2-Wire Extension for power connection



**HP.2**  
Hot Plug with Wire used to connect positive power to. Used with whips that pick up ground through base attachment.



**TWPT\***  
Standard, Dual-Wire Male Deutsch Connector with 12" (30.48cm) Pigtail used on all SafetyWhips® Telescoping Whips. Provides extra protection in Harsh Environments.

### Replacement Parts



**HM-Pin with Cotter Pin**  
5/8" x 3" Hitch Mount Pin with Cotter Pin. Fits all Hitch Mounts.



**RH01**  
Whip Retaining Hook recommended for use with 8ft (2.44m) Heavy or Super Duty Whips



**HM-B/U Alarm 107db**  
Backup Alarm, 12 to 24V



**HM-Trailer Plug**  
Trailer End plug with 7-Way plastic connector

## First Aid Clean-up Kits & Fire Extinguishers

Easily Stowable & Wall-Mountable!

ALSO AVAILABLE!



### 10 Person First Aid Kit (Plastic Case)

**Includes:**  
Plastic Adhesive Strips, Bandages, Gauze Pads, Gauze Bandage, Adhesive Tape, Antiseptic Towelettes, Aid/Burn Cream Packets, Bandage Scissors, Forceps, Gloves, First Aid Guide

\*Recommended for every vehicle

FA-10p



### 25 Person First Aid Kit (Hard Metal Case)

**Includes:**  
Cold-pak, Plastic Adhesive Strips, Bandages, Gauze Pads, Gauze Bandage, Adhesive Tape, Antiseptic Towelettes, Aid/Burn Cream Packets, Gloves, Medical Scissors, Tweezers, First Aid Guide

\*Recommended for every vehicle

FA-25P

25 Person First Aid Kits - w/Eye Wash solution (Part#: FA-25P-EW)  
First Aid Kit - 400 Large Industrial w/Liner (Part#: FA-400LG)



**FE-ABC-10t-C**  
10lb (4.5kg)  
TALL Profile  
ABC Rating  
Aluminum Valve  
Bracket sold separately



**FE-VB-10-HD-T**  
Heavy Duty Bracket for 10lb (4.5kg) TALL Profile Fire Extinguisher. Easy to install and store extinguisher!

High Quality Monoammonium Phosphate Fire Extinguishers specifically designed for use in combating Class "A", "B", and "C" type fires. Top-grade extinguishers providing the widest range of extinguisher protection coverage!

Manufactured to ANSI/UL 299 and ANSI/UL 711 standards. US Coast Guard approved for Type B:C Size I. (valid only with bracket)

## Industrial Traffic Safety



### 3M™ Diamond Grade™ Conspicuity

Premium-Grade, High Visibility Reflective engineered with reflective microprismatic lens sheeting and pressure-sensitive adhesive. Effectively used for application to sides and rear of large trucks, trailers and other vehicles. The 983 Series of 3M™ Conspicuity is most durable, providing maximum visibility at multiple angles in for all weather conditions!

Other Color Options Also Available!

**TAPE-2-R/W**  
2"W (2.54cm) material - SOLD BY THE FOOT  
Red & White alternating pattern  
Red - 6"L (15.24cm) / White - 6"L (15.24cm)



### Road Hazard Kit

A premium Roadside Emergency Safety Kit ensuring high visibility alerting in unexpected emergency situations on the road. Quickly alert all motorists to roadside trouble day or night with this Easy-to-Use setup and quick breakdown design. Heavy duty protective storage case also included. Ideal for roadside breakdowns or other emergencies.

Road Flares & Safety Triangle Kits Also Sold Separately!

**Road Hazard Kit**  
Includes:  
(1) Highway Safety Triangle Kit (13lbs/6.9kg)  
(4) Road Flares (Red flame with 20 minute burn)